

COBURN

**SLIDING
DOOR
HARDWARE**

Digitized by



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

THE COBURN LINE OF IMPROVED GARAGE DOOR HANGERS

**MADE BY THE
COBURN TROLLEY TRACK MFG. CO.**

HOLYOKE, MASS., U. S. A.

CATALOG 54

WAREHOUSES:

**BOSTON, 180 High St. PHILADELPHIA, 527 Commerce St.
NEW YORK, 44-46 Duane St. CHICAGO, 220 No. Wabash St.
CLEVELAND, 1009 Oregon Ave., N. E.**

TERMS

All bills are payable in thirty days net, or a discount of two per cent. for cash in ten days from date of invoice.

Accounts overdue are subject to a sight draft.

All claims for errors in shipments or for shortages must be made within five days after receipt of goods.

Goods are sold f. o. b. cars at shipping point unless freight allowance is quoted.

All agreements are contingent upon strikes, accidents, or other causes beyond our control.

Quotations are made for immediate acceptance.

We will replace free of charge any goods made by us that are found defective on account of material or workmanship.

Do not return any goods to us without first writing us for shipping instructions.

Prices in this catalogue or discounts applying thereto subject to change without notice.

HOW TO ORDER

Coburn Garage Door Hangers and Track

Note 1.

Ascertain probable weight of door and order track, hangers and brackets by number. Always give thickness of doors.

Note 2.

For doors not exceeding 300 pounds in weight use No. 1 track.
For doors not exceeding 500 pounds in weight use No. 2½ track.
For doors not exceeding 800 pounds in weight use No. 3 track.
For doors not exceeding 1200 pounds in weight use No. 4 track.
For doors exceeding 1200 pounds special attention needed.

Note 3.

Brackets spaced four feet or five feet on centers will be sufficient if proper size track and hangers are used.

Note 4.

Nos. 1 and 2½ tracks are furnished in even foot lengths up to ten feet
No. 4 track in even foot lengths up to eight feet.

Note 5.

For parallel runs of track attached to face of wall, double or triple brackets as illustrated on page 9 may be used and if attached to outside of building hood as illustrated on page 48 may be used to protect top of doors.

When storm Shield is required use single run wall brackets with cast pads as illustrated on page 48.

Use parallel ear brackets to attach track to underside of a heading timber.


Note 6.

Hangers designated A are for No. 1 track.

Hangers designated B are for No. 2½ track.

Hangers designated C are for No. 3 & 4 track.

FULL SIZE OF TROLLEY TRACKS



ADAPTIONS OF THE COBURN "ROUND TROUGH" TROLLEY TRACKS TO THE VARIOUS STYLES OF HANGERS

No. 1 TRACK

Is used with the following style of Hangers: 119, 120, 121, 135a, 137a, 150a, 185a, 186, 195a, 196a, 600a.

Straight Track, per foot.....\$0.20 Curved Track, per foot.....\$1.00
10 feet is the longest length

No. 2 1-2 Track

Used with the following hangers: 122½, 135b, 137b, 150b, 185b, 195b, 196b, 600b.

Straight Track, per foot.....\$0.30 Curved Track, per foot.....\$1.50
10 feet is the longest length made

No. 3 TRACK

Used with No. 124 Hangers, per foot.....\$0.40
8 feet is the longest length made

No. 4 TRACK

Used with the following Hangers: 124, 130, 135c, 137c, 140, 150c, 185c, 195c, 196c, 600c.

Straight Track, per foot.....\$0.50 Curved Track, per foot.....\$2.00
8 feet is the longest length made

COBURN DOOR CARRIERS AND TROLLEYS

Used with Round Trolley Tracks




Illustration shows a Roller-Bearing Carrier

Price List for Carriers

C. 1.	Roller-Bearing Carriers for No. 1 Track (iron wheels-short wheel base.)	Each	\$.90
C- 4	Roller-Bearing, Fibre Trolley Carriers for No. 1 Track	"	1.00
C- 6.	Roller-Bearing, Iron Trolley Carriers for No. 1 Track	"	.90
C- 7.	Roller-Bearing, Iron Trolley Carriers for No. 2½ Track	"	1.25
C- 8.	Roller-Bearing Fibre Trolley Carriers for 2½ Track	"	1.50
C- 9.	Roller-Bearing, Fibre Trolley Carriers for Nos. 3 and 4 Track	"	4.00
C-10.	Roller-Bearing, Iron Trolley Carriers for Nos. 3 and 4 Track	"	2.00

LIST PRICES OF BRACKETS FOR ROUND TROUGH TRACK

	List Price
No. 14, 15 and 16 Side Wall Brackets	For No. 1 Track..... \$0.20
No. 21 and 22 Parallel Ear Brackets	" " " " 25
No. 23 and 24 Side Ear Brackets	" " " " 30
No. 118, 119 and 120 Dbl. Side Wall	" " " " 80
No. 727 Center Stop Brackets	" " " " 35
No. 1287 Parallel Ear Center Stop Brackets	" " " " 40
No. 734 Triple Run Wall Bracket	" " " " 1.75
No. 125, 126, 127 Double Run Side Wall Brackets for No 2½ Track.....	1.25
No. 217, 218 and 219 Single Run Side Wall Bkts. for No. 2½ Track.....	.35
No. 221 and 222 Parallel Ear Bracket	For No. 2½ Track 40
No. 223 and 224 Side Ear Bracket	" " " " 45
No. 728 Center Stop Side Wall Bracket	" " " " 60
No. 886 Parallel Ear Cen. Stop Side W. Bkt.	" " " " 65
No. 754 Triple Run Wall Bracket	" " " " 2.00
No. 44, 45 and 46 Side Wall Brackets	" " 4 " 80
No. 50 and 51 Side Ear Bracket	" " " " 1.50
No. 52 and 53 Parallel Ear Bracket	" " " " 80
No. 111, 112 & 113 Dbl. Run Side Wall Bkt.	" " " " 2.00
No. 233, 234 & 235 Tr. Run Side Wall Bkt.	" " " " 3.25
No. 730 Center Stop Wall Bracket	" " " " 1.00
No. 88, Center Stop Parallel Ear Bracket	" " " " 1.00
No. 47, 48, 49, Side Wall Brackets	" " 3 " 50

SINGLE ADJUSTABLE WALL BRACKETS

No. 1 Track, Bracket No. 55, Center, 56 end.....	\$1.00
No. 2½ Track, Bracket No. 70, Center, 71 end.....	1.25
No. 4 Track, Bracket No. 93, Center 94 end.....	1.50

DOUBLE ADJUSTABLE WALL BRACKETS

No. 1 Track Bracket, No. 55-D center, 56-D end.....	1.50
No. 2½ Track Bracket, No. 70-D center, 71-D end.....	2.00
No. 4 Track Bracket, No. 93-D center, 94-D end.....	2.75

CORNER BRACKETS


No. 1 Track Bracket, No. 2614.....	1.00
No. 2 Track Bracket, No. 2616.....	1.50
No. 4 Track Bracket, No. 2661.....	2.00

DOUBLE PARALLEL EAR BRACKETS

No. 1 Track Bracket, No. 2691 center, 2691-E end.....	1.00
No. 2½ Track Bracket, No. 2692 center, 2692-E end.....	1.25
No. 4 Track Bracket, No. 2693 center, 2693-E end.....	2.75


TRIPLE EAR PARALLEL BRACKETS

No. 1 Track Bracket, No. 2694 center, 2694-E end.....	1.50
No. 2½ Track Bracket, No. 2695 center, 2695-E end.....	2.00
No. 4 Track Bracket, No. 2696 center, 2696-E end.....	3.25




Single Wall Bracket

No.	A	B	C	D	E	G	I	K	O		C	Number	RE	LE	List Price
1	2½	1½	3½	4½	½	2½	½	1½	1		16	14	15		.20
2½	2½	1½	4½	5½	1½	2½	½	1½	1		217	218	219		.35
3	3½	1½	5½	6½	1½	3½	½	1½	1		47	48	49		.50
4	3½	1½	5½	7½	½	3½	1	1½	1½		44	45	46		.80




Center Stop Wall Bracket

No.	A	B	C	D	E	G	J	N	O		C	Number	List Price
1	2½	½	3½	4½	1½	2½	½	1½	1½		727		.35
2½	2½	1½	4½	5½	1½	2½	1½	2½	1½		728		.60
3	3½	1½	5½	6½	½	3½	½	2½	1		729		.80
4	3½	1½	5½	7½	½	3½	½	2½	1½		730		1.00




Parallel Ear Bracket

No.	A	B	C	D	E	F	G	H	I		C	Number	End	List Price
1	4½	½	3½	3½	1½	2½	2½	3½	1½		21		22	.25
2½	5	½	3½	4½	1½	2½	2½	4½	1½		221		222	.40
3	6½	1½	4½	5½	½	3	3½	5½	1½		52		53	.80
4	6½	1½	4½	5½	½	3	4½	5½	1½		52		53	.80




Center Stop Parallel Ear Bracket

No.	A	B	C	D	E	F	G	H	J	N	C	Number	List Price
1	4½	1½	3½	3½	1½	2½	2½	3½	1½	2	1287		.40
2½	4½	1½	3½	4½	1½	2½	2½	4½	1½	2	886		.65
3	6½	1½	4½	5½	½	3	3½	5½	½	1½	880		1.00
4	6½	1½	4½	5½	½	3	3½	5½	½	1½	880		1.00




Side Ear Bracket

No.	A	B	C	D	E	G	H	I	P	C	Number	End	List Price
1	4 1/2	1 1/2	3 1/2	2 1/2	1 1/2	2 1/2	2 1/2	1 1/2	2 1/2		23	24	\$.30
2 1/2	4 1/2	1 1/2	3 1/2	4 1/2	1 1/2	2 1/2	3 1/2	1 1/2	2 1/2		223	224	.45
3	8	1 1/2	5 1/2	5 1/2	1	4 1/2	5 1/2	1 1/2	4 1/2		50	51	1.50
4	8	1 1/2	5 1/2	5 1/2	1	4 1/2	5 1/2	1 1/2	4 1/2		50	51	1.50




Corner Bracket

No.	A	B	C	G	I	K	O	Number	List Price
1	3 1/2	1 1/2	3 1/2	2 1/2	2 1/2	1 1/2	1	2614	\$1.00
2 1/2	3 1/2	1 1/2	4 1/2		2 1/2	1 1/2	1	2616	1.50
3	4 1/2	1 1/2	5 1/2		3 1/2	1 1/2	1 1/2	2661	2.00
4	4 1/2	1 1/2	5 1/2		3 1/2	1 1/2	1 1/2	2661	2.00




Double Run Wall Bracket

No.	A	B	C	D	E	G	I	K	L	O		Number RE LE			List Price
1	4	1 1/2	3 1/2	5 1/2	1 1/2	2 1/2	1	1 1/2	2 1/2	1 1/2		118	120	119	\$.80
2 1/2	4 1/2	1 1/2	4 1/2	6 1/2	1 1/2	2 1/2	1 1/2	1 1/2	2 1/2	1 1/2		125	126	127	1.25
3	7 1/2	1 1/2	6 1/2	7 1/2	1 1/2	3 1/2	1 1/2	1 1/2	3 1/2	1 1/2		111	113	112	2.00
4	7 1/2	1 1/2	6 1/2	7 1/2	1 1/2	3 1/2	1 1/2	1 1/2	3 1/2	1 1/2		111	113	112	2.00




Triple Run Wall Bracket

No.	A	B	C	D	E	G	I	K	L	M	O	C	Number	RE	LE	List Price
1	6 1/2	1 1/2	3 1/2	5 1/2	1 1/2	2 1/2	1	1 1/2	2 1/2	2 1/2	1 1/2	734		R	L	\$1.75
2 1/2	6 1/2	1 1/2	4 1/2	6 1/2	1 1/2	2 1/2	1 1/2	1 1/2	2 1/2	2 1/2	1 1/2	754		R	L	2.25
3	10 1/2	1 1/2	5 1/2	8 1/2	1 1/2	3 1/2	1 1/2	1 1/2	3 1/2	3 1/2	2	2722		R	L	3.25
4	10 1/2	1 1/2	5 1/2	8 1/2	1 1/2	3 1/2	1 1/2	1 1/2	3 1/2	3 1/2	2	2722		R	L	3.25




Single Wall Bracket
Adjustable

No.	A	B	C	CC	E	D	H	G	P	V	Pattern No.		List Price
											Center	End	
1	2½	1½	2½	4½	1	3½	2½	2½	3	4½	55	56	\$1.00
2½	2½	1½	2½	5½	1½	4½	4½	2½	3	4½	70	71	1.25
4	4	1½	3	6½	1	5½	4½	4	3	7	93	94	1.50




Double Wall Bracket
Adjustable

No.	A	B	C	CC	E	D	H	G	P	V	L	Pattern No.		List Price
												Center	End	
1	2½	1½	2½	4½	1	3½	2½	2½	3	7	2½	55D	56D	\$1.50
2½	2½	1½	2½	5½	1	4½	4½	2½	3	7	2½	70D	71D	2.00
4	4	1½	3	6½	1	5½	4½	4	3	11	4	93D	94D	2.75




Double Parallel Ear Bracket

	A	B	C	D	E	F	G	H	I	J	Pattern No.			List Price
											Center	Cur'd	End	
No. 1	4 1/2	1 1/2	3 1/2	1	3 1/2	2 1/2	4 1/2	3 1/2	1 1/2	2 1/2	2691		2691 E	\$1.00
" 2	5	1 1/2	3 1/2	1	4 1/2	2 1/2	4 1/2	4 1/2	1 1/2	2 1/2	2692		2692 E	1.25
" 4	6 1/2	1 1/2	4 1/2	1	5 1/2	3	7 1/2	5 1/2	1 1/2	3 1/2	2693		2693 E	2.75



Triple Parallel Ear Bracket For No. 1 and 2½ Rail

Size	A	B	C	D	E	F	G	H	I	J	Pattern No.			List Price
											Center	Curv'd	End	
No. 1	4½	½	3½	½	3½	2½	6½	3½	½	2½	2694		2694 E	\$1.50
" 2½	5	½	3½	½	4½	2½	6½	4½	½	2½	2695		2695 E	2.00






Triple Parallel Ear Bracket For No. 4 Rail

											Pattern No.			
Siz	A	B	C	D	E	F	G	H	I	J	Center	Curv'd	End	List Price
No. 46	$\frac{9}{16}$	$\frac{7}{8}$	$\frac{1}{2}$	$\frac{1}{4}$	$5\frac{1}{4}$	3	$10\frac{1}{2}$	$5\frac{1}{2}$	$1\frac{1}{4}$	$3\frac{1}{2}$	2696		2696 E	\$3.25

NO. 119 HANGER**For No. 1 Track Only**


Suitable for doors that are not over 250 pounds in weight and not over 2 inches thick.




C 6 Carrier Roll Bearing Iron Wheels.
No. 10³ Pendant Wrought Iron.
No. 9 Petticoat 1³/₄ Adjustment.

PRICE LIST

Hangers without Track Brackets	Per Pair	\$2.30
Hangers with 3 Side Wall Brackets	Per Set	2.90
No. 1 Track	Per Foot	.20
Side Wall Brackets	Each,	.20
Parallel Ear Brackets	Each,	.25
Side Ear Brackets	Each,	.30
Center Stop Wall Bracket	Each,	.35
Center Stop Parallel Ear Bracket	Each,	.40



Side Ear Bracket




Parallel Ear Bracket

Weights


No. 119 Hangers, Per Pair 5 lbs.
No. 119 Hangers, Per set 10 lbs.
No. 1 Track Per Foot 1¹/₂ "
Brackets, to 2 lbs. each.

NO. 120 HANGER**For No. 1 Track Only**

Suitable for Doors weighing 300 pounds. Roller Bearing Iron Wheels.
Lateral Adjustment.



No. 10 Petticoat for Doors
 $1\frac{3}{4}$ to $2\frac{1}{2}$ inches thick No.
11 Petticoat can be used
with this hanger for Doors
 $2\frac{1}{2}$ inches to 3 inches thick
Price is the same.



C 6 Carrier

No. 10 Pendant


No. 10 Petticoat

PRICE LIST

Hangers without Track Brackets.....	Per Pair,	\$2.50
Hangers with 3 Side Wall Brackets.....	Per Set,	3.10
No. 1 Track.....	Per Foot,	.20

Price List of Brackets on pages 5 and 7


Side Wall Bracket



Side Ear Bracket

Weights


No. 120 Hangers, Per Pair lbs.
No. 120 Hangers, Per set 14 lbs.
No. 1 Track Per foot $1\frac{1}{2}$ lb.
Brackets $1\frac{1}{2}$ to 2 lbs. each.




Parallel Ear Bracket

NO. 121 HANGER

For No. 1 Only



Suitable for Doors weighing up to 250 lbs. From $1\frac{5}{8}$ inches to $1\frac{1}{4}$ inches thick. Roller Bearing Iron Wheels. Wrought Iron Pendants and Petticoats. Lateral Adjustment.




A very substantial easy running Hanger at a remarkably low price.

PRICE LIST

Hangers without Track Brackets.....	Side Wall Bracket Per Pair,	\$1.50
Hangers with 3 Side Wall Brackets.....	Per Set,	2.00
No. 1 Track.....		.20


Price List of Brackets on pages 5 and 7




Side Ear Bracket

Weights

No. 121 Hangers, Per pair 6 lbs.
 No. 121 Hangers, Per set 11 lbs.
 No. 1 Track, Per foot $1\frac{1}{2}$ lb.
 Brackets $1\frac{1}{2}$ to 2 lbs. each




Parallel Ear Bracket

NO. 122 $\frac{1}{2}$ HANGERFor 2 $\frac{1}{2}$ TrackSuitable for Doors weighing up to 500 pounds and 2 $\frac{1}{4}$ to 3 inches in thickness

Roller Bearing
Iron Wheels 3 in.
Diameter. Lateral
Adjustment

Packed with No. 11
Petticoat but can be
used with other Petticoats if desired for
Doors less than 2 $\frac{1}{2}$ in.
in thickness as Petticoats are all fitted
with same diameter
adjusting screw and
are interchangeable.




Side Wall Bracket

C 7 Carrier
No. 11 Pendent
No. 11 Petticoat

PRICE LIST

Hangers without Track Brackets.....	Per Pair,	\$3.30
Hangers with 3 Side Wall Brackets.....	Per Set,	4.35
No. 2 $\frac{1}{2}$ Track.....	Per Foot,	.30

Price List of Brackets on pages 5 and 7




Side Ear Bracket

Weights

No. 122 $\frac{1}{2}$ Hangers Per pair 12 lbs
No. 122 $\frac{1}{2}$ Hangers Per set 18 lbs.
No. 2 $\frac{1}{2}$ Track, Per foot 2 $\frac{1}{2}$ lbs.
Track Brackets 2 $\frac{1}{2}$ to 3 lbs.

No. 2 $\frac{1}{2}$ Track can be furnished in
any length up to 10 feet.




Parallel Ear Bracket

NO. 124 HANGER


For No. 3 or No. 4 Track

Suitable for Doors weighing up to 800 pounds and $1\frac{3}{4}$ to $2\frac{1}{4}$ inches thick.



C 10 Carrier
No. 1 Pendent
No. 57 Petticoat


Roller Bearing
Iron Wheels $3\frac{1}{2}$ inches diameter.
Lateral Adjustment.
Packed with No. 57 Petticoats
but can be used with other Petti-
coats if desired for Doors over
 $2\frac{1}{4}$ inches thick.



Side Wall Bracket

PRICE LIST

Hangers without Track Brackets.....	Per Pair,	\$5.00
Hangers with 3 Side Wall Brackets.....	Per Set,	6.50
No. 3 Track.....	Per Foot,	.40
Side Wall Medium Heavy Brackets.....	Each,	.50
Parallel Ear Brackets.....	Each,	.80
Side Ear Brackets.....	Each,	.80
Center Stop Wall Brackets.....	Each,	1.00
Center Stop Parallel Ear Brackets.....	Each,	1.00




Side Ear Bracket

Weights

No. 124 Hangers, Per pair 20 lbs.
No. 124 Hangers, Per set 32 lbs.
No. 3 Track, Per foot $2\frac{1}{4}$ lbs.
Side Wall Bkts. 4 lbs.
Parallel Ear Bkts, each 6 lbs.
Side Ear Bkts, each 6 lbs.
Stop Brackets $6\frac{1}{2}$ lbs.


No. 3 and 4 Track can be fur-
nished any length up to 8 Feet.



Parallel Ear Bracket

NO. 130 HANGER**For No. 4 Track**


Suitable for Doors weighing up to 1200 pounds and not over 3 inches thick.





Roller Bearing
Iron Wheels $3\frac{1}{2}$ inches diameter
Lateral Adjustment



C 10 Carrier
No. Pendent
No. 12 Petticoat

**Side Wall Bracket****PRICE LIST**

Hangers without Track Brackets.....	Per Pair,	\$5.50
Hangers with 3 Side Wall Brackets.....	Per Set,	7.90
No. 4 Track.....	Per Foot,...	.50
Side Wall Heavy Brackets.....	Each,	.80
Parallel Ear Brackets.....	Each,	.80
Side Ear Brackets.....	Each,	1.00
Center Stop Wall Brackets.....	Each,	1.00
Center Stop Parallel Ear Brackets.....	Each,	1.00


**Side Ear Bracket****Parallel Ear Bracket****Weights**

No. 130 Hangers, Per pair 22 lbs.
No. 130 Hangers, per set 42 lbs.
No. 4 Track Per foot, 4 lbs.
Brackets, Each $7\frac{1}{2}$ lbs.

No. 4 Track can be furnished in
any length up to 8 feet.

NO. 135 A-B-C HANGERS


Roller Bearing Iron Wheels Vertical and Lateral Adjustment. Adjusting Parts Bronze Castings. Pendants Steel Forgings, Petticoats, Wrought Iron.



Side Wall Bracket


PRICE LIST

No. 135A.	For No. 1 Track capacity 400 lbs.....	Per Pair,	\$5.00
No. 135B.	For No. 2½ Track capacity 600 lbs.....	Per Pair,	6.00
No. 135C.	For No. 4 Track capacity 1200 lbs.....	Per Pair,	7.00



Side Ear Bracket

Weights	
No. 135 A	Per pair 7 lbs.
No. 135 B	Per pair 9 lbs.
No. 135 C	Per pair 21 lbs.




Parallel Ear Bracket

See pages 5 and 7 for Price List of Track and Brackets.

NO. 137 A-B-C HANGERS

Roller Bearing Iron Wheels Vertical and Lateral Adjustment. Steel Forged Pendants Wrought Iron Petticoats.



Side Wall Brackets

Weights

No. 137 A	Per pair 7 lbs.
No. 137 B	Per pair 9 lbs.
No. 137 C	Per pair 21 lbs.

See pages 5 and 7 for Price List of Track and Bracket.

Side Ear Bracket


No. 137A.	For No. 1 Track capacity 400 lbs.....	Per Pair,	\$3.00
No. 137B.	For No. 2 1/2 Track capacity 600 lbs.....	Per Pair,	4.00
No. 137C.	For No. 4 Track capacity 1200 lbs.....	Per Pair,	6.00

PRICE LIST

Parallel Ear Bracket


NO. 140 HANGER**For No. 4 Track**

Suitable for Doors weighing up to 2000 pounds and from 3 to 4 inches thick.




Roller Bearing
Iron Wheels $3\frac{1}{2}$ inches diameter
Lateral Adjustment

C 10 Carrier
No. 2 Pendent
No. 13 Petticoa

**PRICE LIST**


Hangers without Track Brackets.....	Per Pair,	\$6.50
Hangers with 3 Heavy Side Wall Brackets.....	Per Set,	8.90
No. 4 Track.....	Per Foot,	.50
Side Wall Heavy Brackets.....		.80
Parallel Ear Brackets.....		.80
Side Ear Brackets.....		1.00
Center Stop Wall Brackets.....		1.00
Center Stop Parallel Ear Bracket.....		1.00



Side Ear Bracket

Weights
 No. 140 Hangers, per pair 29 lbs.
 No. 140 Hangers, Per foot 4 lbs.
 No. 4 Brackets, Per Foot 4 lbs.
 Brackets, Each $7\frac{1}{2}$ lbs.


No. 4 Track can be furnished
 in any length up to 8 feet.



Parallel Ear Bracket


NO. 150 A-B-C HANGERS

For Several Doors hung on parallel tracks. All to enter the same pocket.




PRICE LIST

No. 150.	For No. 1 Track capacity 300 lbs.....	Per Pair,	\$3.00
No. 150B.	For No. 2 $\frac{1}{2}$ Track capacity 400 lbs.....	Per Pair,	4.00
No. 150C.	For No. 4 Track capacity 600 lbs.....	Per Pair,	6.00
Side Ear Bracket		Parallel Ear Bracket	



Side Ear Bracket



Parallel Ear Bracket


Weights

No. 150 A	Per pair 5 lbs.
No. 150 B	Per pair 7 $\frac{1}{2}$ lbs.
No. 150 C	Per pair 11 $\frac{1}{2}$ lbs.

See pages 5 and 7 for Price List of Track and Brackets.



NO. 185 A-B-C HANGERS

Especially adopted for Doors sliding by each other on parallel tracks.
For Straight Track only. For Curved Track use No. 186 or 195 Hangers.



NO. 186 A-B-C HANGERS


Corner Plate Double Trolley Carrier for Doors that slide at right angles to opening. Cannot be used on Double Doors where they come together in opening.



Side Wall Bracket

PRICE LIST

No. 186A.	For No. 1 Track capacity 300 lbs.....	Per Pair,	\$3.50
No. 186B.	For No. 2½ Track capacity 400 lbs.....	Per Pair,	4.50
No. 186B.	For No. 4 Track capacity 700 lbs.....	Per Pair,	7.00




Side Ear Bracket

Roller Bearing
Iron Wheels
Vertical Adjustment
Ball Bearing
Swivel Attachment

Weights

No. 186 A	Per pr. 7 lbs.
No. 186 B	Per pr. 9 lbs.
No. 186 C	Per pr. 14 lbs.
See pages 5 and 7 for Price List of Track and Brackets.	





Parallel Ear Bracket

NO. 190 A-B-C HANGERS

The Petticoat on the door is constructed so as to allow the pendent from the carrier to slide back and forth and carry the door in flush with jamb and thus make the opening perfectly tight.

Roller Bearing
Iron Wheels




Side Wall Bracket

PRICE LIST

No. 190A.	For No. 1 Track capacity 400 lbs.....	Per Pair,	\$4.00
No. 190B.	For No. 2 1/2 Track capacity 600 lbs.....	Per Pair,	5.00
No. 190C.	For No. 4 Track capacity 1200 lbs.....	Per Pair,	6.00

One Pair of Hangers for a single door includes two roller bearing carriers pendants and petticoats, one each top and bottom castings for side of door, lock and handle. Fastenings and Handle included in price of Hangers.




Side Ear Bracket

Weights

No. 190 A	Per pair 7 lbs.
No. 190 B	Per pair 12 lbs.
No. 190 C	Per pair 18 1/2 lbs.



See pages 5 and 7 for Price List of Track and Brackets.



Parallel Ear Bracket

NO. 195 A-B-C HANGERS


Corner Door Hangers for doors that slide on a wall at Right Angle to opening Track projects into wall far enough to allow door to close tight against wall.



Side Wall Bracket

PRICE LIST

No. 195A.	For No. 1 Track capacity 300 lbs.....	Per Pair,	\$3.00
No. 195B.	For No. 2½ Track capacity 400 lbs.....	Per Pair,	4.00
No. 195C.	For No. 4 Track capacity 600 lbs.....	Per Pair,	6.00




Side Ear Bracket

Roller Bearings
Iron Wheels
Single Trolley
Vertical Adjustment
Ball Bearing Swivel
Attachment

Weights

No. 195 A Per pr. 3 lbs.
No. 195 B Per pr. 5 lbs.
No. 196C Per pr. 12 lbs.


See pages 5 and 7 for
Price List of Track and
Brackets.




Parallel Ear Bracket

No. 196 A-B-C HANGERS

Corner Door Hangers with Swivel Carriers that allow door to slide on wall at right angle to opening and to close tight into jamb.




Roller Bearing
Iron Wheels
Single Trolley
Vertical Adjustments
Ball Bearing Swivel Attachment



Side Wall Bracket

PRICE LIST

No. 196A.	For No. 1 Track capacity 300 lbs.....	Per Pair,	\$3.00
No. 196B.	For No. 2 1/2 Track capacity 400 lbs.....	Per Pair,	4.00
No. 196C.	For No. 4 Track capacity 600 lbs.....	Per Pair,	6.00




Side Ear Bracket

Weights

No. 196 A	Per pair 3 lbs.
No. 196 B	Per pair 5 lbs.
No. 196 C	Per pair 12 lbs.


See pages 5 and 7 for Price List of Track and Brackets.



Parallel Ear Bracket


No. 600 A-B-C HANGERS


Folding Partition Door Hangers. Any number of doors can be used beginning with a half door hinged to a trip attached to the jamb on one or both sides according to the proposed way of folding the doors. The half door must be exactly one half the width of the full size doors less the thickness of the strip to which they are attached. The full size doors must be of an exact width top and bottom and edges perfectly parallel. Hinge the doors together fold them and strike a center line across them all. Attach carriers on the center of this line having the center of pendent on the exact center of the door considering both width and thickness. Attach one carrier to every other door.




PRICE LIST

No. 600A.	For No. 1 Track capacity 200 lbs.	Each,	\$2.00
No. 600B.	For No. 2½ Track capacity 300 lbs.	Each,	3.00
No. 600C.	For No. 4 Track capacity 400 lbs.	Each,	5.00






Flush and Raised Handles, Light.....	Each,	\$.10
Flush and Raised Handles, Heavy.....	Each,	.25



CLEARANCE DIAGRAM FOR CORNER DOORS

G 1

Double Doors sliding in opposite directions on single track.



Hardware Required

2 Pair Hangers	No. 137A \$ 6.00	No. 137B \$8.00	No. 137C \$12.00
1 Pr. End Wall Brackets	A Size .40	B Size .70	C Size 1.60
1 Center Stop Wall Bracket	" " .35	" " .60	" " 1.00
2 Center Wall Brackets	" " .40	" " .70	" " 1.60
2 Flush Handles	" " .20	" " .20	" " .50
2 Raised Handles	" " .20	" " .20	" " .50
2 No. 189 Guide Rolls	" " .83	" " .83	" " .83
1 No. 193 Center Floor Stop	" " 2" .50	" " 2" .63	" " 3" .75
Price Complete	" " \$8.88	" " \$11.86	" " \$18.78

Track 1 Run twice the width of opening.


Track per foot. No. 1A Size .20 No. 2½ B Size .30 No. 4 C Size .50.

Brackets should be spaced four or five feet on centers.

Other Hangers that can be used instead of the 137 are 136a, 150, 185, 186, 195 and 196 styles.

G 2

Doube Doors sliding in either direction on two parallel tracks.



Hardware Required

2 Pair Hangers	No. 137A	\$6.00	No. 137B	\$8.00	No. 137C	\$12.00
1 Pr. Dble. End Wall Brackets	" "	1.60	B Size	2.50	C Size	4.00
3 Dble. Center Wall Brackets	" "	2.40	" "	4.50	" "	6.00
2 Flush Handles	" "	.20	" "	.20	" "	.50
1 Raised Handle	" "	.10	" "	.10	" "	.25
1 No. 192 Floor Guide	" "	.90	" "	.90	" "	.90
2 No. 191 Floor Stops	" "	1.20	" "	1.20	" "	1.20

Price Complete

\$12.40

\$17.40

\$24.85


Track 2 Runs each equal in length to width of opening
 Track per foot No. 1 A Size .20 No. 2½ B Size .30 No. 4 C Size .50
 Storm Shield equal to one half the width of opening
 Storm Shield per foot A Size .30 B Size .40 C Size .50
 Chafe Strips per foot. Flat .15 Half Oval .20

Brackets should be spaced from four to five feet on centers.

Other Hangers that can be used in place of the 137 are No's. 136a, 150, 185, 186, 195 and 196 Styles.

G 3

Four Doors sliding in opposite direction on two parallel tracks.



Hardware Required

4 Pair Hangers	No. 150A	\$12.00	No. 150B	\$16.00	No. 150C	\$24.00
1 Pr. Dble End Wall Brackets	A Size	1.60	B size	2.50	C Size	4.00
4 Dble. Center Wall Brackets	" "	5.00	" "	5.00	" "	8.00
4 Flush Handles	" "	.40	" "	.40	" "	1.00
2 Raised Handles	" "	.20	" "	.20	" "	.50
1 No. 193 Center Floor Stop	" "	.50	" "	.63	" "	.75
4 No. 192 Floor Guides	" "	3.60	" "	3.60	" "	3.60

Price Complete.....\$21.50 \$28.33 \$41.85

Track 2 Runs each equal to one and one half times the width of opening.

Track per foot No. 1A Size .20 No. 2½B Size .30 No. 4C Size .50

Storm Shield if used should be full width of opening.

Storm Shield per foot A Size .30 B Size .40 C Size .50.


Chafe Strips per foot. Flat .15. Half Oval .20.

Brackets should be spaced from four to five feet on centers.

Other Hangers that can be used in place of the 150 Style are 136, a 137, 185, 186, 195 and 196 styles.

G 4

Two Doors sliding in opposite directions on two single tracks.



Hardware Required

2 Pair Hangers	No. 137A	\$6.00	No. 137B	\$8.00	No. 137C	\$12.00
1 Pr. Dble. End Wall Brackets	A size	1.60	B size	2.50	C size	4.00
4 Dble. Center Wall Brackets	" "	4.00	" "	6.25	" "	10.00
2 Flush Handles	" "	.20	" "	.20	" "	.50
2 Raised Handles	" "	.20	" "	.20	" "	.50
1 No. 192 Floor Guide	" "	.90	" "	.90	" "	.90
2 No. 191 Floor Stop	" "	1.20	" "	1.20	" "	1.20
Price Complete		\$14.10		\$19.25		\$29.10

Track 2 Runs each equal to width of opening.


Track per foot No. 1A Size .20, No. 2½B Size .30, No. 4C Size .50.

Brackets should be spaced four or five feet on centers.

Other Hangers that can be used instead of 137 are No's. 136a, 150, 185, 186, 195 and 196 Styles.

G 5

Three Doors sliding in either direction on two parallel runs of track for three car Garage. One Third of opening available at a time.



Hardware Required

3 Pair Hangers	No. 137A	\$9.00	No. 137B	\$12.00	No. 137C	\$18.00
1 Pr. Dble. End Wall Brackets	A size	1.60	B size	2.50	C size	4.00
5 Dble. Center Wall Brackets	" "	4.00	" "	6.25	" "	10.00
3 Flush Handles	" "	.30	" "	.30	" "	.75
1 Raised Handle	" "	.10	" "	.10	" "	.25
2 No. 192 Floor Guides	" "	1.80	" "	1.80	" "	1.80
2 No. 191 Floor Stops	" "	1.20	" "	1.20	" "	1.20
Price Complete		\$18.00		\$24.15		\$36.00

Track 2 Runs each equal to width of opening.

Track per foot No. 1A Size .20, B Size .30, C Size .50.

Storm Shield if used should be full width of opening.

Storm Shield per foot A Size .30, B Size .40, C Size .50.


Chafe Strips per foot Flat .15. Half Oval .20.

Brackets should be spaced from four to five feet on centers.

Other Hangers that can be used instead of 137 are No's. 136a, 150, 185, 186, 195 and 196 Styles.

G 6

Three Doors sliding in either direction on three parallel runs of track for three car Garage. Two thirds of opening available at a time.



Hardware Required

3 Pair Hangers	No. 137A	\$9.00	No. 137B	\$12.00	No. 137C	\$18.00
1 Pr. Trple. End Wall Brackets	A size	3.50	B size	4.50	C size	6.50
5 Trple. Center Wall Brackets	" "	8.75	" "	11.25	" "	16.25
3 Flush Handles	" "	.30	" "	.30	" "	.75
1 Raised Handle	" "	.10	" "	.10	" "	.25
3 No. 192 Floor Guides	" "	2.70	" "	2.70	" "	2.70
Price Complete		\$24.35		\$30.85		\$44.45

Track 3 Runs each equal to width of opening.

Track per foot, No. A1 Size .20, No. 2½B Size .30, No. 4C Size .50.

Storm Shields 2 Runs each full width of opening.

Storm Shields per foot A Size .30, B Size .40, C Size .50.


Chafe Strips per foot flat .15. Half Oval .20.

Brackets should be spaced from four to five feet on centers.

Other Hangers that can be used instead of No. 137 are No's. 136a, 150, 185, 186, 195 and 196.

G 7

Three Doors sliding onto wall clear of opening.



Hardware Required

3 Pair Hangers	No. 137 A	\$9.00	No. 137 B	\$12.00	No. 137C	\$18.00
1 Trple. End Wall Brackets	A Size	1.75	B Size	2.25	C Case	3.25
1 Trple. Center Wall Bracket	" "	1.75	" "	2.25	" "	3.25
1 Trple. Center Wall Bracket with outside port closed	" "	1.75	" "	1.25	" "	2.00
1 Dble. End Wall Bracket with outside port closed	" "	.80	" "	1.25	" "	2.00
1 Sgle. End Wall Bracket	" "	.20	" "	.35	" "	.80
3 Flush Handles	" "	.30	" "	.30	" "	.75
1 Raised Handle	" "	.10	" "	.10	" "	.25
3 No 192 Floor Guides	" "	2.70	" "	2.70	" "	2.70
Price Complete		\$18.35		\$23.45		\$34.25

Track 1 Run equal to $1\frac{1}{2}$ the width of opening.

1 Run equal to the width of opening.

1 Run equal to $\frac{2}{3}$ the width of opening.

Total amount of track required is three times the width of opening.


Brackets should be spaced four or five feet on centers.

If Storm Shields are used two shields full width of opening will be required.

Other Hangers that can be used instead of the 137 are 136a, 150, 185, 186, 195 and 196 Styles.

G 9

Single Door sliding on to Wall at right angle to opening.



Hardware Required

1 Pair of Hangers	No. 195 A	\$ 3.00	No 195	\$ 4.00	No. 195 C	\$ 6.00
1 Pr. Sgle. End Wall Brackets	A Size	.40	B Size	.70	C Size	1.60
2 Sgle. Center Wall Brackets	" "	.40	" "	.70	" "	1.60
1 Corner Wall Bracket	" "	1.00	" "	1.50	" "	2.00
2 Raised Handles	" "	.20	" "	.20	" "	.50
1 No. 191 Floor Stop	" "	.60	" "	.60	" "	.60
		\$5.60		\$7.70		\$12.30


Track twice the width of opening.

Track per foot No. 1A, Size .20, No. 2½B Size .30, No. 4C Size .50.

Brackets should be spaced four or five feet on centers.

G 10

Single Door Sliding on to wall at right angles to opening when there is a space from edge of Door to Wall.



Hardware Required

1 Hanger	No. 194A	\$2.00	No. 194B	\$2.50	No. 194C	\$3.50
1 Hanger	No. 195A	1.50	No. 195B	2.00	No. 195C	3.00
2 End Wall Brackets	A size	.40	B size	.70	C size	1.60
2 Center Wall Brackets	" "	.40	" "	.70	" "	1.60
1 Corner Wall Brackets	" "	1.00	" "	1.50	" "	2.00
2 Raised Handles	" "	.20	" "	.20	" "	.50
1 No. 191 Floor Stop	" "	.60	" "	.60	" "	.60
		\$6.10		\$8.20		\$12.80

Track twice the width of opening.


Track per foot No. 1A Size .20, No. 2½B Size .30, No. 4C Size .50.

Brackets should be spaced four or five feet apart.

Be sure in ordering this style of fixture to give the thickness of the door and distance from edge of door to the wall.

G 11

Double Doors sliding on to walls at right angle to opening.



Hardware Required

1 Pair Hangers	No. 195A	\$3.00	No. 195B	\$4.00	No. 195C	\$6.00
1 Pair Hangers	No. 193A	3.00	No. 193B	4.00	No. 193C	6.00
1 Pair End Wall Brackets	A size	.40	B size	.70	C size	1.60
3 Center Wall Brackets	" "	.60	" "	1.05	" "	2.40
Track per foot No. 1	" "	.20	No's 2½B Size	.30	No. 4C Size	.50


The totals cannot be given as the Bracket for the side runs of Track depend on the method of support used.

The 193 Hanger is the same as the 196 with a longer pendent. The illustration shows two methods of supporting track for the side runs. Other methods can be used.

The side tracks are at an angle with the opening far enough to allow the door to close tight against the wall. The other run should extend the entire width of opening.

G 12

Two pairs of Doors to swing on to walls at right angles to opening. Hangers attached to side of Doors to close tight into jamb.



Hardware Required

1 Pair Hangers	No. 196A	\$3.00	No. 196B	\$4.00	No. 196C	\$6.00
1 Pair End Wall Brackets	A size	.40	B size	.70	C size	1.60
2 Center Wall Brackets	" "	.40	" "	.70	" "	1.60
1 Door Binder and Lock	" "	5.00	" "	5.00	" "	5.00
1 No. 195 Center Door Guide	" "	.80	" "	.80	" "	.80

Price Complete

\$9.60

\$11.20

\$15.00

I Run of Track entire width of opening.

4 Pair Butts, which we do not furnish.



Track per foot No. 1A Size .20, No. 2½B Size .30, No. 4C Size .50.

Brackets should be spaced four or five feet on centers.

No Storm Shield is required for this style as the Doors close tight.


Raised Handles can be used and Foot Bolt if desired.

G 13



This plan is the same as G. 12 except doors close against the wall instead of into jamb. The Hardware required is the same as G.12 except that No. 195 Hangers are used instead of the No. 196 Style. The Price of the 195 is the same as No. 196.

G 14



This plan is similar to G.12 except that Adjustable Brackets are used which will allow the Doors to open folded flat against the front wall. Hangers should be attached near the edge of Doors that meet in the center of opening. Use adjustable brackets as shown on page 10 and set the tracks at an angle with opening. Angle will depend on the width and thickness of doors and can be found by swinging doors into open position. and securing bolts after track has been lined up so the doors operate freely.


When regular wall brackets are used place hanger in track with the brackets on same and mark position of bolt holes.

Hardware Required

The same as for G.12 except that Adjustable Brackets are used as illustrated.

G 15

Double Doors—One door sliding on clear wall space, the other door on wall at right angle to opening.



Hardware Required

2 Pair Hangers	No. 195A	\$3.00	No. 195B	\$4.00	No. 195C	\$6.00
1 Pair End Wall Brackets	A size	.40	B size	.70	C size	1.60
1 Center Wall Stop Bracket	" "	.35	" "	.60	" "	1.00
1 Corner Wall Bracket	" "	1.00	" "	1.50	" "	2.00
5 Center Wall Bracket	" "	1.00	" "	1.75	" "	4.00
3 Raised Handles	" "	.30	" "	.30	" "	.75
1 Flush Handle	" "	.80	" "	.10	" "	.25
1 No. 195 Center Floor Guide		.80		.80		.80
Price Complete		\$6.95		\$9.75		\$16.40


Track 1 Run twice the width of opening.

Track per foot, No. 1A Size .20, No. 2½B Size .30, No. 4C Size .50.

Brackets should be spaced four or five feet on centers.

G 19

For Six Doors in opening with two Swing Doors in Center. Full opening available.



This plan is like G. 14 except that there is no track in center of opening for the width of two doors.

Hardware Required

1 Pair Hangers	No. 196A	\$3.00	No. 196B	\$4.00	No. 196C	\$6.00
2 Pr. Adj. End Brackets	A size	5.20	B size	6.00	C size	7.20
2 Adj. Center Wall Brackets	" "	2.60	" "	3.00	" "	3.60
2 Flush Handles	" "	.20	" "	.20	" "	.50

Price Complete

\$11.00

\$13.20

\$17.30

Track 2 Runs each two thirds the width of opening.


Track per foot No. 1A Size .20, No. 2½B Size .30, No. 4C Size .50.

Brackets should be spaced four or five feet.

Foot Bolts or Door Binders and Lock shown on page 50 can be used if desired.

G 22

Three Door Combination with one swing door and two that fold back on Side Wall Full width of opening available.



Hardware Required



$\frac{1}{2}$ Pair Hangers	No. 196A	\$1.50	No. 196B	\$2.00	No. 196C	\$3.00
1 Pair End Wall Brackets	A size	.40	B size	.70	C size	1.60
1 Door Binder and Lock	" "	5.00	" "	5.00	" "	5.00
Price Complete		\$6.90		\$7.70		\$9.60

Track 1 Run two thirds width of opening.



Track No. 1A Size .20, No. 2 $\frac{1}{2}$ B Size .30, No. 4C Size .50.

Flush Foot Bolt can be used if desired.


Same plan as shown for G. 12 using one half only will apply to this style.
The hanger allows doors to close tight into jamb.





No. 192, price each	List .90
Flat Chafe Strip, per foot	.15
Half Oval Chafe Strip, per foot	.20



No. 195 Adjustable Center Door Guide, each	List .80
Steel Bumper Shoes, per pair	.20




No. 191 Adjustable Floor Guide and Stop, each	List .60
Steel Bumper Shoes, per pair	.20



No. 194 Cast Center Stop

No. 193 Cast Center Stop



	List		List
For doors 2 inches thick, per doz...	\$12.00	For doors 2 inches thick, per doz.	\$6.00
For doors 2½ inches thick, per doz...	15.00	For doors 2½ inches thick, per doz.	7.50
For doors 3 inches thick, per doz...	18.00	For doors 3 inches thick, per doz.	9.00



No. 200 Floor Guide

No. 201 Floor Guide

Prices on Application




Style S Floor Guide

Style D Floor Guide


	List		List
Per Foot.....	\$1.00	Per Foot.....	\$1.50

Proper drainage should be provided at bottom



No. 185


Per Dozen.....\$1.10



No. 186

REVERSIBLE

Per Dozen.....\$2.00



ADJUSTABLE

No. 187

Per Dozen.....\$6.00



No. 188

Per Dozen.....\$1.25




No. 189

Per Dozen.....\$6.00



No. F-14

Per Dozen.....\$6.00



HOOD WITH STYLE T STORM SHIELD

This combination may be used when track is attached to outside of garage.

Hood may be used without shield.


STEEL HOODS

List

Hood only for No. 1 rail double run of track, per foot.....	\$.50
Hood only for No. 1 rail triple run of track, per foot.....	.60
Hood only for No. 2½ rail double run of track, per foot.....	.60
Hood only for No. 2½ rail triple run of track, per foot.....	.70
Hood only for No. 4 rail double run of track, per foot.....	.70
Hood only for No. 4 rail triple run of track, per foot.....	.80

STYLE T SHIELD

This shield may be used when track is attached to inside of building.



STYLE T SHIELD

List

Shield only for No. 1 track, per foot.....	\$.30
Shield only for No. 2½ track, per foot.....	.40
Shield only for No. 4 track, per foot.....	.50

CAST PADS


Used with Single Wall Brackets

Cast Pads for No. 1 rail.....	\$.20
Cast pads for No. 2½ rail.....	.30
Cast pads for No. 4 rail.....	.40



Straight Hasp

Price per dozen including 2 staples \$9.00




Door Binder and Lock
For Swing and Slide Doors

4 ft. long complete.... \$4.50

6 ft. long complete.... 5.00


8 ft. long complete.... 5.50



Offset Hasp

Price per dozen, including chain and
2 staples.....\$16.00

State thickness of door.



Parallel Door Lock
For Parallel Doors

Price per dozen.....\$18.00

INDEX

	Page
Brackets List Price.....	7
Brackets Single Wall.....	8
Brackets Center Stop Wall.....	8
Brackets Parallel Ear.....	8
Brackets Center Stop Parallel Ear.....	8
Brackets Side Ear.....	9
Brackets Corner.....	9
Brackets Double Run Wall.....	9
Brackets Tripple Run Wall.....	9
Brackets Single Wall Adjustable.....	10
Brackets Double Wall Adjustable.....	10
Brackets Double Parallel Ear.....	11
Brackets Tripple Parallel Ear.....	11
Bumper Shoes.....	45
Carriers.....	6
Chafe Strip.....	45
Guides.....	45-46-47
Hasps.....	49
Handles.....	28
Hangers 119.....	12
Hangers 120.....	13
Hangers 121.....	14
Hangers 122½.....	15
Hangers 124.....	16
Hangers 130.....	17
Hangers 135.....	18
Hangers 137.....	19
Hangers 140.....	20
Hangers 150.....	21
Hangers 185.....	22
Hangers 186.....	23
Hangers 190.....	24
Hangers 195.....	25
Hangers 196.....	26
Hangers 600.....	27
Hoods for Storm Shields.....	48
Locks.....	49
Stops.....	45-46
Storm Shields.....	48

This catalog has been prepared to furnish to architects contractors and owners, information whereby they may be able to specify and erect in a practical manner sliding door hardware of the most approved type. The various plans which we have shown will, we trust, be of material benefit to those whose duty it is to lay out and install the work.

Coburn round trough track has been a synonym of easy running doors for a quarter of a century, and though it has been freely imitated, it has never been equaled in mechanical strength or durability.

Coburn products are designed so as to give the maximum service at all times and are amply strong to handle their rated loads without an undue amount of wear or friction.

We will furnish detailed drawings and specifications at any time upon request of prospective builders or architects on receipt of information of the conditions under which it is desired to use sliding door hardware of any description.

We commend our products to the consideration of the practical contractor or builder who builds for satisfaction and service in the broadest sense these words imply.

